

FIG. 4A

BEST AVAILABLE COPY




FIG. 4B

BEST AVAILABLE COPY

	Formulation	Dose Level (mg/kg)	C _{max} (ng/mL)	T _{max} (min)	AUC (o**) (ng·lir/mL)	T _{1,2} (lut)	Volume of Distribution at Steady State (nuL/kg)	Clearance Rale (naL/lu·kg)	Bioavailability (%)
Mean	Celecoxib	NA	. 718 91	NAN	3808 933	8.21 2.85	2498 590	278 77	∀ Z Z Z
Mean SD	Celecoxib PO	5.09 0.050	654 199	1.25	7663 3119	9.3	4 Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z	798 317	40.05
Mean SD.	Celecoxib Sodium PO	5.05 0.121	2142 569	0.75 0.27	16426 4150	9.0	NA NA	323 77	85.80

FIG. 5





FIGURE 6



Poloxamer	Physical form	a	b	Average molecular weight
124	Liquid	12	20	2090-2360
188	Solid	80	27	7680-9510
		64 ⁻	. 37	6840-8830
338	Solid	141	44	12 700-17 400
		101	56	9840-14 600

Percent a	Percent b	Ratio a/b
0.38	0.63	0.60
0.75	0.25	2.96
10 Table 1		1.73
0.76	0.24	3.20
\$1.15gz	¥ [*	1.80

 $HO(C_2H_4O)_a(C_3H_6O)_b(C_2H_4O)_aH$

FIGURE 7

Effects of Celluloses on Dissolution of 1/1 Vitamin E TPGS/TPI-336-Na at Room Temperature




FIGURE 8

Dissolution Test at 37C for Various Ratio of Vitamin ETPGS: HP-Cellulose: TPl336




FIGURE 9

Dissolution profile of TPI-336-Na in SGF from solid mixtures with excipients at room temperature




FIGURE 10




FIGURE 11

Dissolution of TPI336Na at 37C in 5X diluted SGF




FIGURE 12




FIGURE 13A




Figure 13B




FIGURE 14

FIGURE 15




FIGURE 16




FIGURE 17




FIGURE 18

Sample: MO-116-49a_celecoxib-K Size: 5.9890 mg Method: Stepwise isothermal

TGA

File: \\...\MarkO\mo-116-49a_celecoxib-K.001 Operator: MAO Run Date: 06-Dec-02 11:35




FIGURE 19




FIGURE 20





FIGURE 21

Sample: MO-116-55D_celecoxib-K
Size: 5.4470 mg
Method: Ramp
Comment: Residue from bottom phase, dried in nitrogen for 2 days

File: mo-116-55D_celecoxibK_bottom phase re... Operator: MAO

Run Date: 13-Dec-02 11:50



TGA .

FIGURE 22




FIGURE 23




FIGURE 24




FIGURE 25




FIGURE 26




FIGURE 27




FIGURE 28




FIGURE 29




FIGURE 30




Figure 31




Figure 32




Figure 33




Figure 34




Figure 35




Figure 36




Figure 37




Figure 38





FIGURE 39







FIGURE 41






FIGURE 43





FIGURE 44







FIGURE 46






FIGURE 48





FIGURE 49






FIGURE 51




FIGURE 52

17% RH
Celecoxib Na hydrate
Batch No. MT_138_A




Figure 53

31% RH
Celecoxib Na hydrate
Batch No. MT_143_138_A





FIGURE 54

FIGURE 55

Celecoxib Na hydrate Batch No. MT_143_38_A

59% RH



74% RH
Celecoxib Na hydrate
Batch No. MT_143_138_A




FIGURE 56

17% RH
Celecoxib Na propylene glycol solvate
Batch No. MT_143_25




FIGURE 57

31% RH
Celecoxib Na propylene glycol solvate
Batch No. MT_143_25




FIGURE 58

59% RH
Celecoxib Na propylene glycol solvate
Batch No. MT_143_25




FIGURE 59

74% RH
Celecoxib Na propylene glycol solvate
Batch No. MT_143_25




FIGURE 60




Figure 61

FIGURE 62